

ステンレスホットフラットバー

SUS304

(単位:mm)

| サイズ | | 4,000 | | | 5,000 | | | 6,000 | | |
|-----|-------|-------|----|------|-------|----|------|-------|----|------|
| 厚 | x 幅 | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット |
| 2 | x 10 | 0.636 | ● | | | | | | | |
| 2 | x 15 | 0.952 | ● | | | | | | | |
| 2 | x 20 | 1.27 | ● | | | | | | | |
| 2 | x 25 | 1.58 | ● | | | | | | | |
| 2 | x 30 | 1.90 | ● | | | | | | | |
| 2 | x 32 | 2.03 | ● | | | | | | | |
| 2 | x 35 | 2.22 | ● | | | | | | | |
| 2 | x 38 | 2.41 | ● | | | | | | | |
| 2 | x 40 | 2.54 | ● | | | | | | | |
| 2 | x 45 | 2.86 | ● | | | | | | | |
| 2 | x 50 | 3.17 | ● | | | | | | | |
| 3 | x 10 | 0.952 | ● | | | | | | | |
| 3 | x 12 | 1.14 | ● | | | | | | | |
| 3 | x 13 | 1.24 | ● | | | | | | | |
| 3 | x 15 | 1.43 | ● | | | | | | | |
| 3 | x 16 | 1.52 | ● | | | | | | | |
| 3 | x 19 | 1.81 | ● | | | | | | | |
| 3 | x 20 | 1.90 | ● | | | | | | | |
| 3 | x 22 | 2.09 | ● | | | | | | | |
| 3 | x 25 | 2.38 | ● | | | | | | | |
| 3 | x 30 | 2.86 | ● | | | | | | | |
| 3 | x 32 | 3.04 | ● | | | | | | | |
| 3 | x 35 | 3.33 | ● | | | | | | | |
| 3 | x 38 | 3.62 | ● | | | | | | | |
| 3 | x 40 | 3.81 | ● | | | | | | | |
| 3 | x 45 | 4.28 | ● | | | | | | | |
| 3 | x 50 | 4.76 | ● | | | | | | | |
| 3 | x 60 | 5.72 | ● | | | | | | | |
| 3 | x 65 | 6.20 | ● | | | | | | | |
| 3 | x 75 | 7.12 | ● | | | | | | | |
| 3 | x 100 | 9.52 | ● | | | | | | | |
| 4 | x 11 | 1.40 | ● | | | | | | | |
| 4 | x 13 | 1.65 | ● | | | | | | | |
| 4 | x 15 | 1.90 | ● | ● | | | | | | |
| 4 | x 16 | 2.03 | ● | ● | | | | | | |
| 4 | x 19 | 2.41 | ● | ● | | | | | | |
| 4 | x 20 | 2.54 | ● | ● | | | | | | |
| 4 | x 22 | 2.79 | ● | ● | | | | | | |
| 4 | x 25 | 3.17 | ● | ● | | | | | | |
| 4 | x 30 | 3.81 | ● | ● | | | | | | |
| 4 | x 32 | 4.08 | ● | ● | | | | | | |

| サイズ | | 4,000 | | | 5,000 | | | 6,000 | | |
|-----|-------|-------|----|------|-------|----|------|-------|----|------|
| 厚 | x 幅 | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット |
| 4 | x 35 | 4.44 | ● | ● | | | | | | |
| 4 | x 38 | 4.84 | ● | ● | | | | | | |
| 4 | x 40 | 5.08 | ● | ● | | | | | | |
| 4 | x 45 | 5.72 | ● | ● | | | | | | |
| 4 | x 50 | 6.36 | ● | ● | | | | | | |
| 4 | x 60 | 7.60 | ● | ● | | | | | | |
| 4 | x 65 | 8.24 | ● | ● | | | | | | |
| 4 | x 75 | 9.52 | ● | ● | | | | | | |
| 4 | x 100 | 12.7 | ● | ● | | | | | | |
| 5 | x 15 | 2.38 | ● | ● | | | | | | |
| 5 | x 19 | 3.01 | ● | ● | | | | | | |
| 5 | x 20 | 3.17 | ● | ● | | | | | | |
| 5 | x 22 | 3.49 | ● | ● | | | | | | |
| 5 | x 25 | 3.96 | ● | ● | | | | | | |
| 5 | x 30 | 4.76 | ● | ● | | | | | | |
| 5 | x 32 | 5.08 | ● | ● | | | | | | |
| 5 | x 35 | 5.56 | ● | ● | | | | | | |
| 5 | x 38 | 6.04 | ● | ● | | | | | | |
| 5 | x 40 | 6.36 | ● | ● | | | | | | |
| 5 | x 45 | 7.12 | ● | ● | | | | | | |
| 5 | x 50 | 7.92 | ● | ● | | | | | | |
| 5 | x 60 | 9.52 | ● | ● | | | | | | |
| 5 | x 65 | 10.3 | ● | ● | | | | | | |
| 5 | x 75 | 11.9 | ● | ● | | | | | | |
| 5 | x 90 | 14.3 | ● | ● | | | | | | |
| 5 | x 100 | 15.8 | ● | ● | | | | | | |
| 6 | x 15 | 2.86 | ● | ● | | | | | | |
| 6 | x 19 | 3.62 | ● | ● | | | | | | |
| 6 | x 20 | 3.81 | ● | ● | | | | | | |
| 6 | x 22 | 4.20 | ● | ● | | | | | | |
| 6 | x 25 | 4.76 | ● | ● | 5.95 | ● | | 7.14 | ● | |
| 6 | x 30 | 5.72 | ● | ● | 7.15 | ● | | 8.58 | ● | |
| 6 | x 32 | 6.08 | ● | ● | 7.60 | ● | | 9.12 | ● | |
| 6 | x 35 | 6.68 | ● | ● | | | | | | |
| 6 | x 38 | 7.24 | ● | ● | 9.05 | ● | | 10.9 | ● | ● |
| 6 | x 40 | 7.60 | ● | ● | 9.50 | ● | | 11.4 | ● | |
| 6 | x 45 | 8.56 | ● | ● | | | | | | |
| 6 | x 48 | 9.12 | ● | ● | | | | | | |
| 6 | x 50 | 9.52 | ● | ● | 11.9 | ● | | 14.3 | ● | ● |
| 6 | x 60 | 11.4 | ● | ● | | | | | | |
| 6 | x 65 | 12.4 | ● | ● | 15.4 | ● | | 18.5 | ● | ● |

●印は即納品です。

ステンレスホットフラットバー

SUS304

(単位:mm)

| サイズ | | | 4,000 | | | 5,000 | | | 6,000 | | |
|-----|---|-----|-------|----|------|-------|----|------|-------|----|------|
| 厚 | x | 幅 | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット |
| 6 | x | 70 | 13.3 | ● | ● | | | | | | |
| 6 | x | 75 | 14.3 | ● | ● | 17.8 | ● | | 21.4 | ● | ● |
| 6 | x | 90 | 17.1 | ● | ● | | | | | | |
| 6 | x | 100 | 19.0 | ● | ● | 23.8 | ● | | 28.6 | ● | ● |
| 6 | x | 110 | 20.9 | ● | | | | | | | |
| 6 | x | 120 | 22.8 | ● | | | | | | | |
| 6 | x | 125 | 23.8 | ● | | | | | | | |
| 6 | x | 130 | 24.8 | ● | | | | | | | |
| 6 | x | 140 | 26.6 | ● | | | | | | | |
| 6 | x | 150 | 28.6 | ● | | | | | | | |
| 7 | x | 20 | 4.44 | ● | | | | | | | |
| 8 | x | 16 | 4.08 | ● | | | | | | | |
| 8 | x | 25 | 6.36 | ● | | | | | | | |
| 8 | x | 30 | 7.60 | ● | | | | | | | |
| 8 | x | 32 | 8.12 | ● | | | | | | | |
| 8 | x | 35 | 8.88 | ● | | | | | | | |
| 8 | x | 38 | 9.64 | ● | | | | | | | |
| 8 | x | 40 | 10.2 | ● | | | | | | | |
| 8 | x | 45 | 11.4 | ● | | | | | | | |
| 8 | x | 50 | 12.7 | ● | | | | | | | |
| 8 | x | 65 | 16.5 | ● | | | | | | | |
| 8 | x | 75 | 19.0 | ● | | | | | | | |
| 8 | x | 100 | 25.4 | ● | | | | | | | |
| 9 | x | 13 | 3.71 | ● | | | | | | | |
| 9 | x | 15 | 4.28 | ● | | | | | | | |
| 9 | x | 16 | 4.56 | ● | | | | | | | |
| 9 | x | 19 | 5.44 | ● | | | | | | | |
| 9 | x | 20 | 5.72 | ● | ● | | | | | | |
| 9 | x | 22 | 6.28 | ● | ● | | | | | | |
| 9 | x | 25 | 7.12 | ● | ● | | | | | | |
| 9 | x | 30 | 8.56 | ● | ● | | | | | | |
| 9 | x | 32 | 9.12 | ● | ● | 11.4 | ● | | 13.7 | ● | |
| 9 | x | 35 | 10.0 | ● | ● | | | | | | |
| 9 | x | 38 | 10.8 | ● | ● | 13.6 | ● | | 16.3 | ● | |
| 9 | x | 40 | 11.4 | ● | ● | 14.2 | ● | | 17.1 | ● | |
| 9 | x | 45 | 12.8 | ● | ● | | | | | | |
| 9 | x | 50 | 14.3 | ● | ● | 17.8 | ● | | 21.4 | ● | ● |
| 9 | x | 55 | 15.7 | ● | | | | | | | |
| 9 | x | 60 | 17.1 | ● | ● | | | | | | |
| 9 | x | 65 | 18.6 | ● | ● | 23.2 | ● | | 27.8 | ● | ● |
| 9 | x | 75 | 21.4 | ● | ● | 26.8 | ● | | 32.1 | ● | ● |

| サイズ | | | 4,000 | | | 5,000 | | | 6,000 | | |
|-----|---|-----|-------|----|------|-------|----|------|-------|----|------|
| 厚 | x | 幅 | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット |
| 9 | x | 90 | 25.7 | ● | ● | 32.1 | ● | | 38.5 | ● | |
| 9 | x | 100 | 28.6 | ● | ● | 35.7 | ● | | 42.8 | ● | ● |
| 9 | x | 125 | 35.7 | ● | | 44.6 | ● | | 53.5 | ● | |
| 9 | x | 150 | 42.8 | ● | | 53.5 | ● | | 64.2 | ● | |
| 9 | x | 200 | 57.2 | ● | | | | | | | |
| 9 | x | 250 | 71.2 | ● | | | | | | | |
| 9 | x | 300 | 85.6 | ● | | | | | | | |
| 10 | x | 15 | 4.76 | ● | | | | | | | |
| 10 | x | 19 | 6.04 | ● | | | | | | | |
| 10 | x | 20 | 6.36 | ● | | | | | | | |
| 10 | x | 25 | 7.92 | ● | | | | | | | |
| 10 | x | 30 | 9.52 | ● | | | | | | | |
| 10 | x | 32 | 10.2 | ● | | | | | | | |
| 10 | x | 35 | 11.1 | ● | | | | | | | |
| 10 | x | 38 | 12.0 | ● | | | | | | | |
| 10 | x | 40 | 12.7 | ● | | | | | | | |
| 10 | x | 45 | 14.3 | ● | | | | | | | |
| 10 | x | 50 | 15.8 | ● | | 19.8 | ● | | 23.8 | ● | |
| 10 | x | 60 | 19.0 | ● | | | | | | | |
| 10 | x | 65 | 20.6 | ● | | | | | 30.9 | ● | |
| 10 | x | 75 | 23.8 | ● | | | | | | | |
| 10 | x | 100 | 31.7 | ● | | 39.6 | ● | | 47.6 | ● | |
| 10 | x | 125 | 39.6 | ● | | | | | | | |
| 10 | x | 150 | 47.6 | ● | | | | | | | |
| 10 | x | 200 | 63.6 | ● | | | | | | | |
| 10 | x | 250 | 79.2 | ● | | | | | | | |
| 10 | x | 300 | 95.2 | ● | | | | | | | |
| 12 | x | 15 | 5.72 | ● | | | | | | | |
| 12 | x | 19 | 7.24 | ● | | | | | | | |
| 12 | x | 20 | 7.60 | ● | | | | | | | |
| 12 | x | 25 | 9.52 | ● | | | | | | | |
| 12 | x | 30 | 11.4 | ● | | | | | | | |
| 12 | x | 32 | 12.2 | ● | | | | | | | |
| 12 | x | 35 | 13.3 | ● | | | | | | | |
| 12 | x | 38 | 14.5 | ● | | 18.1 | ● | | 21.7 | ● | |
| 12 | x | 40 | 15.2 | ● | | | | | | | |
| 12 | x | 45 | 17.1 | ● | | | | | | | |
| 12 | x | 50 | 19.0 | ● | | 23.8 | ● | | 28.6 | ● | |
| 12 | x | 65 | 24.8 | ● | | 31.0 | ● | | 37.1 | ● | |
| 12 | x | 70 | 26.6 | ● | | | | | | | |
| 12 | x | 75 | 28.6 | ● | | 35.7 | ● | | 42.8 | ● | |

●印は即納品です。

ステンレスホットフラットバー

SUS304

(単位:mm)

| サイズ | | 4,000 | | | 5,000 | | | 6,000 | | |
|-----|-------|-------|----|------|-------|----|------|-------|----|------|
| 厚 | x 幅 | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット |
| 12 | x 90 | 34.2 | ● | | | | | | | |
| 12 | x 100 | 38.1 | ● | | 47.6 | ● | | 57.1 | ● | |
| 12 | x 125 | 47.6 | ● | | 59.5 | ● | | 71.4 | ● | |
| 12 | x 150 | 57.2 | ● | | 71.5 | ● | | 85.8 | ● | |
| 12 | x 200 | 76.0 | ● | | | | | | | |
| 12 | x 250 | 95.2 | ● | | | | | | | |
| 12 | x 300 | 114.0 | ● | | | | | | | |
| 16 | x 20 | 10.2 | ● | | | | | | | |
| 16 | x 25 | 12.7 | ● | | | | | | | |
| 16 | x 30 | 15.2 | ● | | | | | | | |
| 16 | x 32 | 16.2 | ● | | | | | | | |
| 16 | x 35 | 17.8 | ● | | | | | | | |
| 16 | x 38 | 19.3 | ● | | | | | | | |
| 16 | x 40 | 20.3 | ● | | | | | | | |
| 16 | x 45 | 22.8 | ● | | | | | | | |
| 16 | x 50 | 25.4 | ● | | 31.7 | ● | | 38.0 | ● | |
| 16 | x 65 | 33.0 | ● | | 41.2 | ● | | 49.5 | ● | |
| 16 | x 75 | 38.1 | ● | | 47.6 | ● | | 57.1 | ● | |
| 16 | x 90 | 45.6 | ● | | | | | | | |
| 16 | x 100 | 50.8 | ● | | 63.5 | ● | | 76.2 | ● | |
| 16 | x 125 | 63.6 | ● | | 79.5 | ● | | 95.4 | ● | |
| 16 | x 150 | 76.0 | ● | | 95.0 | ● | | 114. | ● | |
| 16 | x 200 | 102.0 | ● | | | | | | | |
| 16 | x 250 | 127.0 | ● | | | | | | | |
| 16 | x 300 | 152.0 | ● | | | | | | | |
| 19 | x 25 | 15.1 | ● | | | | | | | |
| 19 | x 30 | 18.1 | ● | | | | | | | |
| 19 | x 32 | 19.3 | ● | | | | | | | |
| 19 | x 35 | 21.1 | ● | | | | | | | |
| 19 | x 38 | 22.9 | ● | | | | | | | |
| 19 | x 40 | 24.1 | ● | | | | | | | |
| 19 | x 45 | 27.1 | ● | | | | | | | |
| 19 | x 50 | 30.1 | ● | | 37.6 | ● | | 45.2 | ● | |
| 19 | x 55 | 33.1 | ● | | | | | | | |
| 19 | x 65 | 39.2 | ● | | 48.9 | ● | | 58.7 | ● | |
| 19 | x 75 | 45.2 | ● | | | | | | | |
| 19 | x 90 | 54.4 | ● | | | | | | | |
| 19 | x 100 | 60.4 | ● | | 75.5 | ● | | 90.6 | ● | |
| 19 | x 125 | 75.2 | ● | | | | | | | |
| 19 | x 150 | 90.4 | ● | | | | | | | |
| 19 | x 200 | 120.0 | ● | | | | | | | |

| サイズ | | 4,000 | | | 5,000 | | | 6,000 | | |
|-----|-------|-------|----|------|-------|----|------|-------|----|------|
| 厚 | x 幅 | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット |
| 19 | x 250 | 151.0 | ● | | | | | | | |
| 19 | x 300 | 181.0 | ● | | | | | | | |
| 20 | x 70 | 44.4 | ● | | | | | | | |
| 22 | x 25 | 17.4 | ● | | | | | | | |
| 22 | x 30 | 20.9 | ● | | | | | | | |
| 22 | x 32 | 22.3 | ● | | | | | | | |
| 22 | x 35 | 24.4 | ● | | | | | | | |
| 22 | x 38 | 26.5 | ● | | | | | | | |
| 22 | x 40 | 27.9 | ● | | | | | | | |
| 22 | x 45 | 31.4 | ● | | | | | | | |
| 22 | x 50 | 34.9 | ● | | | | | | | |
| 22 | x 65 | 45.2 | ● | | | | | | | |
| 22 | x 75 | 52.4 | ● | | | | | | | |
| 22 | x 90 | 62.8 | ● | | | | | | | |
| 22 | x 100 | 69.6 | ● | | | | | | | |
| 22 | x 125 | 87.2 | ● | | | | | | | |
| 22 | x 150 | 105.0 | ● | | | | | | | |
| 22 | x 200 | 140.0 | ● | | | | | | | |
| 22 | x 250 | 174.0 | ● | | | | | | | |
| 22 | x 300 | 209.0 | ● | | | | | | | |
| 25 | x 32 | 25.4 | ● | | | | | | | |
| 25 | x 38 | 30.1 | ● | | | | | | | |
| 25 | x 40 | 31.7 | ● | | | | | | | |
| 25 | x 45 | 35.7 | ● | | | | | | | |
| 25 | x 50 | 39.6 | ● | | | | | | | |
| 25 | x 60 | 47.6 | ● | | | | | | | |
| 25 | x 65 | 51.6 | ● | | | | | | | |
| 25 | x 75 | 59.6 | ● | | | | | | | |
| 25 | x 10 | 79.2 | ● | | | | | | | |
| 25 | x 125 | 99.2 | ● | | | | | | | |
| 25 | x 150 | 119.0 | ● | | | | | | | |
| 25 | x 200 | 158.0 | ● | | | | | | | |
| 25 | x 250 | 198.0 | ● | | | | | | | |
| 25 | x 300 | 238.0 | ● | | | | | | | |
| 30 | x 50 | 47.6 | ● | | | | | | | |
| 30 | x 55 | 52.4 | ● | | | | | | | |
| 30 | x 65 | 62.0 | ● | | | | | | | |
| 30 | x 75 | 71.2 | ● | | | | | | | |
| 30 | x 100 | 95.2 | ● | | | | | | | |
| 30 | x 125 | 119.0 | ● | | | | | | | |
| 30 | x 150 | 143.0 | ● | | | | | | | |

●印は即納品です。

ステンレスホットフラットバー

SUS304

(単位:mm)

| サイズ | | 4,000 | | | 5,000 | | | 6,000 | | |
|-----|-------|-------|----|------|-------|----|------|-------|----|------|
| 厚 | x 幅 | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット |
| 30 | x 200 | 190.0 | ● | | | | | | | |
| 30 | x 250 | 238.0 | ● | | | | | | | |
| 30 | x 300 | 286.0 | ● | | | | | | | |
| 35 | x 50 | 55.6 | ● | | | | | | | |
| 35 | x 65 | 72.0 | ● | | | | | | | |
| 35 | x 75 | 83.2 | ● | | | | | | | |
| 35 | x 100 | 111.0 | ● | | | | | | | |
| 35 | x 125 | 139.0 | ● | | | | | | | |
| 35 | x 150 | 166.0 | ● | | | | | | | |
| 40 | x 50 | 63.6 | ● | | | | | | | |
| 40 | x 65 | 82.4 | ● | | | | | | | |
| 40 | x 75 | 95.2 | ● | | | | | | | |
| 40 | x 100 | 127.0 | ● | | | | | | | |
| 40 | x 125 | 158.0 | ● | | | | | | | |
| 40 | x 150 | 190.0 | ● | | | | | | | |
| 50 | x 65 | 103.0 | ● | | | | | | | |
| 50 | x 75 | 119.0 | ● | | | | | | | |
| 50 | x 100 | 158.0 | ● | | | | | | | |

| サイズ | | 4,000 | | | 5,000 | | | 6,000 | | |
|-----|-------|-------|----|------|-------|----|------|-------|----|------|
| 厚 | x 幅 | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット | Kg/P | 熱間 | スリット |
| 50 | x 125 | 198.0 | ● | | | | | | | |
| 50 | x 150 | 238.0 | ● | | | | | | | |
| 60 | x 75 | 143.0 | ● | | | | | | | |
| 60 | x 100 | 190.0 | ● | | | | | | | |
| 60 | x 125 | 238.0 | ● | | | | | | | |
| 60 | x 150 | 286.0 | ● | | | | | | | |
| 65 | x 75 | 155.0 | ● | | | | | | | |
| 70 | x 100 | 222.0 | ● | | | | | | | |
| 70 | x 125 | 278.0 | ● | | | | | | | |
| 70 | x 150 | 333.0 | ● | | | | | | | |
| 80 | x 100 | 254.0 | ● | | | | | | | |
| 80 | x 125 | 317.0 | ● | | | | | | | |
| 80 | x 150 | 381.0 | ● | | | | | | | |
| 90 | x 125 | 357.0 | ● | | | | | | | |
| 90 | x 150 | 428.0 | ● | | | | | | | |
| 100 | x 125 | 396.0 | ● | | | | | | | |
| 100 | x 150 | 476.0 | ● | | | | | | | |

●印は即納品です。

ステンレスホットフラットバー

SUS316, 316L, 303

(単位:mm)

| サイズ 厚 × 幅 | 4,000 Kg/P | | |
|--------------|---------------|------|------|
| | 316 | 316L | 303 |
| 3 x 20 | 1.92 | 1.92 | |
| 3 x 25 | 2.39 | 2.39 | |
| 3 x 30 | 2.87 | 2.87 | |
| 3 x 32 | 3.06 | 3.06 | |
| 3 x 38 | 3.64 | 3.64 | |
| 3 x 40 | 3.83 | 3.83 | |
| 3 x 50 | 4.80 | 4.80 | |
| 4 x 25 | 3.19 | 3.19 | |
| 4 x 30 | 3.83 | 3.83 | |
| 4 x 40 | 5.12 | 5.12 | |
| 4 x 50 | 6.40 | 6.40 | |
| 5 x 20 | 3.19 | 3.19 | |
| 5 x 25 | 3.99 | 3.99 | |
| 5 x 30 | 4.80 | 4.80 | |
| 5 x 32 | 5.12 | 5.12 | |
| 5 x 38 | 6.08 | 6.08 | |
| 5 x 40 | 6.40 | 6.40 | |
| 5 x 50 | 8.00 | 8.00 | |
| 6 x 25 | 4.80 | 4.80 | 4.76 |
| 6 x 30 | 5.76 | 5.76 | 5.72 |
| 6 x 32 | 6.12 | 6.12 | |
| 6 x 38 | 7.28 | 7.28 | |
| 6 x 40 | 7.68 | 7.68 | 7.60 |
| 6 x 50 | 9.56 | 9.56 | 9.52 |
| 6 x 65 | 12.4 | 12.4 | 12.4 |
| 6 x 75 | 14.4 | 14.4 | 14.3 |
| 6 x 100 | 19.2 | 19.2 | 19.0 |
| 9 x 25 | 7.20 | 7.20 | 7.12 |
| 9 x 30 | 8.60 | 8.60 | 8.56 |
| 9 x 32 | 9.20 | 9.20 | |
| 9 x 38 | 10.9 | 10.9 | |
| 9 x 40 | | | 11.4 |
| 9 x 50 | 14.4 | 14.4 | 14.3 |
| 9 x 65 | 18.7 | 18.7 | 18.6 |
| 9 x 75 | 21.6 | 21.6 | 21.4 |
| 9 x 90 | 25.8 | 25.8 | |
| 9 x 100 | 28.7 | 28.7 | 28.6 |
| 10 x 50 | 16.0 | 16.0 | |
| 10 x 100 | 31.9 | 31.9 | |
| 12 x 25 | 9.56 | 9.56 | 9.52 |
| 12 x 30 | | 11.5 | 11.4 |

| サイズ 厚 × 幅 | 4,000 Kg/P | | |
|--------------|---------------|------|-------|
| | 316 | 316L | 303 |
| 12 x 32 | 12.2 | 12.2 | |
| 12 x 38 | 14.6 | 14.6 | |
| 12 x 40 | | | 15.2 |
| 12 x 50 | 19.2 | 19.2 | 19.0 |
| 12 x 65 | 24.9 | 24.9 | 24.8 |
| 12 x 75 | 28.7 | 28.7 | 28.6 |
| 12 x 100 | 38.3 | 38.3 | 38.1 |
| 12 x 150 | | | 57.2 |
| 12 x 200 | | | 76.0 |
| 16 x 25 | 12.8 | 12.8 | 12.7 |
| 16 x 30 | | | 15.2 |
| 16 x 32 | 16.4 | 16.4 | |
| 16 x 38 | 19.4 | 19.4 | |
| 16 x 40 | | | 20.3 |
| 16 x 50 | 25.5 | 25.5 | 25.4 |
| 16 x 65 | 33.2 | 33.2 | 33.0 |
| 16 x 75 | 38.3 | 38.3 | 38.1 |
| 16 x 100 | 51.2 | 51.2 | 50.8 |
| 16 x 150 | | | 76.0 |
| 16 x 200 | | | 102.0 |
| 19 x 25 | | | 15.1 |
| 19 x 30 | | | 18.1 |
| 19 x 40 | | | 24.1 |
| 19 x 50 | 30.3 | 30.3 | 30.1 |
| 19 x 65 | 39.4 | 39.4 | 39.2 |
| 19 x 75 | 45.6 | 45.6 | 45.2 |
| 19 x 100 | 60.8 | 60.8 | 60.4 |
| 19 x 150 | | | 90.4 |
| 19 x 200 | | | 120.0 |
| 22 x 25 | | | 17.4 |
| 22 x 30 | | | 20.9 |
| 22 x 40 | | | 27.9 |
| 22 x 50 | | | 34.9 |
| 22 x 65 | | | 45.2 |
| 22 x 75 | | | 52.4 |
| 22 x 100 | | | 69.6 |
| 22 x 150 | | | 105.0 |
| 22 x 200 | | | 140.0 |
| 25 x 50 | | | 39.6 |
| 25 x 65 | | | 51.6 |
| 25 x 75 | | | 59.6 |

ステンレスホットフラットバー

SUS316, 316L, 303

(単位:mm)

| サイズ | 4,000 | | |
|----------|-------|------|-------|
| 厚 x 幅 | Kg/P | | |
| | 316 | 316L | 303 |
| 25 x 100 | | | 79.2 |
| 25 x 150 | | | 119.0 |
| 25 x 200 | | | 158.0 |
| 30 x 50 | | | 47.6 |
| 30 x 75 | | | 71.2 |
| 30 x 100 | | | 95.2 |
| 30 x 150 | | | 143.0 |
| 30 x 200 | | | 190.0 |

| サイズ | 4,000 | | |
|----------|-------|------|-------|
| 厚 x 幅 | Kg/P | | |
| | 316 | 316L | 303 |
| 35 x 50 | | | 55.6 |
| 35 x 75 | | | 83.2 |
| 35 x 100 | | | 111.0 |
| 40 x 50 | | | 63.6 |
| 40 x 75 | | | 95.2 |
| 40 x 100 | | | 127.0 |
| 50 x 75 | | | 119.0 |
| 50 x 100 | | | 158.0 |

ステンレスホット角棒

SUS304, 316, 316L, 303

(単位:mm)

| サイズ | | 4,000 | | | サイズ | | 4,000 | | |
|---------|--|-------|-------------|------|-----------|-------|-------|-------------|-----|
| 厚 x 幅 | | Kg/P | | | 厚 x 幅 | | Kg/P | | |
| | | 304 | 316 316L | 303 | | | 304 | 316 316L | 303 |
| 10 x 10 | | 3.17 | | | 36 x 36 | 41.2 | 41.4 | 41.2 | |
| 12 x 12 | | 4.56 | | | 38 x 38 | 46.0 | 46.0 | | |
| 13 x 13 | | 5.36 | | | 40 x 40 | 50.8 | 51.2 | 50.8 | |
| 14 x 14 | | 6.20 | | | 42 x 42 | 56.0 | 56.4 | | |
| 15 x 15 | | 7.12 | | | 45 x 45 | 64.4 | 64.8 | 64.4 | |
| 16 x 16 | | 8.12 | | 8.12 | 50 x 50 | 79.2 | 80.0 | 79.2 | |
| 19 x 19 | | 11.4 | 11.5 | 11.4 | 55 x 55 | 96.0 | | | |
| 20 x 20 | | 12.7 | 12.8 | | 60 x 60 | 114.0 | | 114.0 | |
| 22 x 22 | | 15.4 | 15.4 | 15.4 | 65 x 65 | 134.0 | | 134.0 | |
| 25 x 25 | | 19.8 | 20.0 | 19.8 | 70 x 70 | 156.0 | | | |
| 28 x 28 | | 24.9 | | | 75 x 75 | 178.0 | | 178.0 | |
| 30 x 30 | | 28.6 | 28.7 | 28.6 | 90 x 90 | 257.0 | | 257.0 | |
| 32 x 32 | | 32.5 | 32.7 | 32.5 | 100 x 100 | 317.0 | | 317.0 | |
| 35 x 35 | | | | 38.9 | | | | | |

HOT 寸法許容差

(単位:mm)

| 厚さ (t) | | 幅 (W) | | | | | |
|----------|---|-------|---------|----------|-----------|-----------|-----------|
| | | ≤50 | 50<W≤75 | 75<W≤100 | 100<W≤125 | 125<W≤150 | 150<W≤350 |
| ~ 20 | 幅 | ±0.8 | ±1.0 | ±1.2 | ±2.0 | ±2.5 | ±2.5 |
| | 厚 | ±0.4 | ±0.5 | ±0.5 | ±0.5 | ±0.5 | ±0.6 |
| 21 ~ 36 | 幅 | ±0.8 | ±1.0 | ±1.2 | ±2.0 | ±2.5 | ±2.5 |
| | 厚 | ±0.5 | ±0.5 | ±0.5 | ±0.6 | ±0.6 | ±0.6 |
| 37 ~ 40 | 幅 | | ±1.0 | ±1.2 | ±2.0 | ±2.5 | ±2.5 |
| | 厚 | | ±0.5 | ±0.7 | ±0.7 | ±0.7 | ±0.7 |
| 41 ~ 50 | 幅 | | ±1.2 | ±1.2 | ±2.0 | ±2.5 | ±2.5 |
| | 厚 | | ±0.8 | ±1.0 | ±1.0 | ±1.0 | ±1.0 |
| 51 ~ 150 | 幅 | | ±1.2 | ±1.2 | ±2.0 | ±2.5 | ±2.5 |
| | 厚 | | ±0.8 | ±1.0 | ±1.0 | ±1.0 | ±1.0 |