

ステンレスコールドフラットバー

SUS304

サイズ	4,000			5,000			6,000							
	厚	幅	Kg/P	COLD	H	ファイン	Kg/P	COLD	H	ファイン	Kg/P	COLD	H	ファイン
2 x 6				0.19	●			←長さ 2,000						
2 x 8				0.25	●			←長さ 2,000						
2 x 9				0.28	●			←長さ 2,000						
2 x 310	0.636	● ●		0.31	●			←長さ 2,000						
2 x 12	0.760	●												
2 x 15	0.952	● ●												
2 x 20	1.27	● ●												
2 x 25	1.58	● ●												
2 x 30	1.90	● ●												
2 x 32	2.03	● ●												
2 x 38	2.41	●												
2 x 40	2.54	● ●												
2 x 45	2.86	● ●												
2 x 50	3.17	● ●												
3 x 5			0.357	●		←長さ 3,000								
3 x 6	0.572	●												
3 x 7	0.668	●												
3 x 8	0.760	●												
3 x 9	0.856	●												
3 x 10	0.952	● ●												
3 x 12	1.14	● ●												
3 x 13	1.24	● ●												
3 x 15	1.43	● ● ●												
3 x 16	1.52	● ●												
3 x 19	1.81	● ●												
3 x 20	1.90	● ● ●												
3 x 22	2.09	● ●												
3 x 25	2.38	● ● ●												
3 x 30	2.86	● ● ●												
3 x 32	3.04	● ● ●												
3 x 35	3.33	● ●												
3 x 38	3.62	● ● ●												
3 x 40	3.81	● ● ●												
3 x 42	4.00	● ●												
3 x 45	4.28	● ●												
3 x 48	4.56	● ●												
3 x 50	4.76	● ● ●												
3 x 60	5.72	● ● ●												
3 x 65	6.20	● ●												
3 x 75	7.12	● ● ●												
3 x 90	8.56	●												

●印は即納品です。

サイズ	4,000			5,000			6,000							
	厚	幅	Kg/P	COLD	H	ファイン	Kg/P	COLD	H	ファイン	Kg/P	COLD	H	ファイン
3 x 100	9.52	● ● ●												
3 x 110	10.5	●												
3 x 120	11.4	●												
3 x 125	11.9	●												
3 x 130	12.4	●												
3 x 140	13.3	●												
3 x 150	14.3	●												
4 x 9	1.14	●												
4 x 10	1.27	● ●												
4 x 11	1.40	● ●												
4 x 12	1.52	●												
4 x 13	1.65	● ●												
4 x 15	1.90	● ● ●												
4 x 16	2.03	● ●												
4 x 17	2.16	●												
4 x 19	2.41	● ●												
4 x 20	2.54	● ● ●												
4 x 22	2.79	● ●												
4 x 25	3.17	● ● ●												
4 x 30	3.81	● ● ●												
4 x 32	4.08	● ● ●												
4 x 35	4.44	● ●												
4 x 38	4.84	● ● ●												
4 x 40	5.08	● ● ●												
4 x 45	5.72	● ●												
4 x 50	6.36	● ● ●												
4 x 60	7.60	● ● ●												
4 x 65	8.24	● ●												
4 x 75	9.52	● ● ●												
4 x 90	11.4	● ●												
4 x 100	12.7	● ● ●												
5 x 8	1.27	●												
5 x 9	1.43	●												
5 x 10	1.59	● ●												
5 x 12	1.90	● ●												
5 x 13	2.06	● ●												
5 x 15	2.38	● ● ●												
5 x 16	2.54	● ●												
5 x 19	3.01	● ●												
5 x 20	3.17	● ● ●												
5 x 22	3.49	● ●												

ステンレスコールドフラットバー

SUS304

サイズ	4,000			5,000			6,000			
	厚	幅	Kg/P	COLD	H	ファイン	Kg/P	COLD	H	ファイン
5 x 25	3.96	● ● ●								
5 x 30	4.76	● ● ●								
5 x 32	5.08	● ● ●								
5 x 34	5.40	● ●								
5 x 35	5.56	● ●								
5 x 38	6.04	● ● ●								
5 x 40	6.36	● ● ●								
5 x 50	7.92	● ● ●								
5 x 60	9.52	● ● ●								
5 x 65	10.3	● ● ●								
5 x 75	11.9	● ● ●								
5 x 90	14.3	● ●								
5 x 100	15.8	● ● ●								
5 x 130	20.6	● ●								
5 x 150	23.8	● ●								
6 x 9	1.71	●								
6 x 10	1.90	● ●								
6 x 12	2.28	● ●								
6 x 13	2.48	● ●								
6 x 15	2.86	● ● ●								
6 x 16	3.04	● ●								
6 x 18	3.42	● ●								
6 x 19	3.62	● ●								
6 x 20	3.81	● ● ●								
6 x 22	4.20	● ●								
6 x 25	4.76	● ● ●								
6 x 30	5.72	● ● ●	7.15			8.58	●			
6 x 32	6.08	● ● ●	7.60			9.12				
6 x 35	6.68	● ●								
6 x 38	7.24	● ● ●	9.05			10.9	●			
6 x 40	7.60	● ● ●	9.50			11.4	●			
6 x 42	8.00	● ●								
6 x 45	8.56	● ● ●								
6 x 48	9.12	● ●								
6 x 50	9.52	● ● ●	11.9			14.3	●			
6 x 60	11.4	● ● ●								
6 x 65	12.4	● ● ●	15.4			18.5	●			
6 x 70	13.3	● ●								
6 x 75	14.3	● ● ●				21.4	●			
6 x 90	17.1	● ●								
6 x 100	19.0	● ● ●				28.6	●			

●印は即納品です。

サイズ	4,000			5,000			6,000			
	厚	幅	Kg/P	COLD	H	ファイン	Kg/P	COLD	H	ファイン
6 x 110	20.9	● ●								
6 x 120	22.8	● ●								
6 x 125	23.8	● ●								
6 x 130	24.8	● ●								
6 x 140	26.6	● ●								
6 x 150	28.6	● ●								
8 x 10	2.54	● ●								
8 x 16	4.08	● ●								
8 x 32	8.12	● ● ●								
8 x 38	9.64	● ●								
8 x 50	12.7	● ●								
9 x 13	3.71	● ●								
9 x 15	4.28	● ● ●								
9 x 16	4.56	● ●								
9 x 19	5.44	● ●								
9 x 20	5.72	● ● ●								
9 x 22	6.28	● ●								
9 x 25	7.12	● ● ●							10.7	●
9 x 30	8.56	● ● ●							12.8	●
9 x 32	9.12	● ● ●							13.7	●
9 x 35	10.0	● ●								
9 x 38	10.8	● ● ●							16.3	●
9 x 40	11.4	● ● ●							17.1	●
9 x 45	12.8	●								
9 x 50	14.3	● ● ●							21.4	●
9 x 60	17.1	● ● ●								
9 x 65	18.6	● ● ●							27.8	●
9 x 75	21.4	● ● ●							32.1	●
9 x 90	25.7	● ●								
9 x 100	28.6	● ● ●							42.8	●
9 x 125	35.7	● ●								
9 x 150	42.8	● ●								
9 x 200	57.2	● ●								
9 x 250	71.2	● ●								
9 x 300	85.6	●								
10 x 15	4.76	● ● ●								
10 x 19	6.04	● ●								
10 x 20	6.36	● ● ●								
10 x 25	7.92	● ● ●								
10 x 30	9.52	● ● ●								
10 x 32	10.2	● ● ●								

ステンレスコールドフラットバー

SUS304

(単位:mm)

サイズ	4,000			5,000			6,000			
	厚	幅	Kg/P	COLD	H	ファイン	Kg/P	COLD	H	ファイン
10 x 38	12.0	● ● ●								
10 x 40	12.7	● ● ●								
10 x 50	15.8	● ● ●				23.8 ●				
10 x 65	20.6	● ● ●				30.9 ●				
10 x 75	23.8	● ●				35.7 ●				
10 x 100	31.7	● ● ●				47.6 ●				
10 x 125	39.6	● ●								
10 x 150	47.6	● ●								
10 x 200	63.6	● ●								
10 x 250	79.2	● ●								
12 x 14	5.32	●								
12 x 16	6.08	● ●								
12 x 19	7.24	● ●								
12 x 20	7.60	● ● ●								
12 x 25	9.52	● ● ●				14.3 ●				
12 x 30	11.4	● ● ●				17.1 ●				
12 x 32	12.2	● ● ●				18.3 ●				
12 x 35	13.3	●								
12 x 38	14.5	● ● ●				21.7 ●				
12 x 40	15.2	● ● ●				22.9 ●				
12 x 50	19.0	● ● ●				28.6 ●				
12 x 65	24.8	● ● ●				37.1 ●				
12 x 75	28.6	● ● ●				42.8 ●				
12 x 90	34.2	● ●								
12 x 100	38.1	● ● ●				57.1 ●				
12 x 125	47.6	● ●								
12 x 150	57.2	● ●								
12 x 200	76.0	● ●								
12 x 250	95.2	● ●								
12 x 300	114.0	● ●								
16 x 19	9.64	● ●								
16 x 20	10.2	● ● ●								
16 x 25	12.7	● ● ●								
16 x 32	16.2	● ● ●								
16 x 38	19.3	● ● ●								
16 x 40	20.3	● ● ●								
16 x 50	25.4	● ● ●				38.0 ●				
16 x 65	33.0	● ●				49.5 ●				
16 x 75	38.1	● ●				57.1 ●				
16 x 100	50.8	● ●				76.2 ●				
16 x 125	63.6	● ●								

●印は即納品です。

サイズ	4,000			5,000			6,000			
	厚	幅	Kg/P	COLD	H	ファイン	Kg/P	COLD	H	ファイン
16 x 150	76.0	● ●								
16 x 200	102.0	● ●								
16 x 250	127.0	● ●								
16 x 300	152.0	●								
19 x 25	15.1	● ● ●								
19 x 32	19.3	● ● ●								
19 x 38	22.9	● ● ●								
19 x 50	30.1	● ● ●								
19 x 65	39.2	● ●								
19 x 75	45.2	● ●								
19 x 100	60.4	● ●								
19 x 125	75.2	● ●								
19 x 150	90.4	● ●								
19 x 200	120.0	● ●								
19 x 250	151.0	● ●								
19 x 300	181.0	●								
22 x 32	22.3	●								
22 x 38	26.5	●								
22 x 50	34.9	●								
22 x 65	45.2	●								
22 x 75	52.4	●								
22 x 100	69.6	●								
25 x 32	25.4	●								
25 x 38	30.1	●								
25 x 50	39.6	●								
25 x 65	51.6	●								
25 x 75	59.6	●								
25 x 100	79.2	●								
25 x 125	99.2	●								
25 x 150	119.0	●								
25 x 200	158.0	●								
30 x 50	47.6	●								
30 x 55	52.4	●								
30 x 65	62.0	●								
30 x 75	71.2	●								
30 x 100	95.2	●								
35 x 50	55.6	●								
35 x 65	72.0	●								
35 x 75	83.2	●								
35 x 100	111.0	●								

ステンレスコールド角棒

SUS304

サイズ	2,000			4,000						
	厚	幅	Kg/P	COLD	H.L	ファイン	Kg/P	COLD	H.L	ファイン
3 x 3	0.142	●								
4 x 4					0.508	●				
5 x 5					0.792	●	●			
6 x 6					1.14	●	●			
7 x 7					1.56	●	●			
8 x 8					2.03	●	●	●		
9 x 9					2.57	●	●	●		
10 x 10					3.17	●	●	●		
12 x 12					4.56	●	●	●		
13 x 13					5.36	●	●	●		
14 x 14					6.20	●	●	●		
15 x 15					7.12	●	●	●		
16 x 16					8.12	●	●	●		
19 x 19					11.4	●	●	●		
20 x 20					12.7	●	●	●		

●印は即納品です。

(単位:mm)

サイズ	2,000			4,000						
	厚	幅	Kg/P	COLD	H.L	ファイン	Kg/P	COLD	H.L	ファイン
22 x 22							15.4	●		
25 x 25							19.8	●	●	
26 x 26							21.4	●		
28 x 28							24.9	●	●	
30 x 30							28.6	●	●	
32 x 32							32.5	●	●	
36 x 36							41.2	●		
38 x 38							46.0	●	●	
40 x 40							50.8	●		
45 x 45							79.2	●		
50 x 50							96.0	●		
55 x 55							114.0	●		
60 x 60							134.0	●		
65 x 65							156.0	●		