

ステンレスホットフラットバー

SUS304

(単位:mm)

サイズ		4,000			5,000			6,000		
厚	x 幅	Kg/P	熱間	スリット	Kg/P	熱間	スリット	Kg/P	熱間	スリット
2	x 10	0.636	●							
2	x 15	0.952	●							
2	x 20	1.27	●							
2	x 25	1.58	●							
2	x 30	1.90	●							
2	x 32	2.03	●							
2	x 35	2.22	●							
2	x 38	2.41	●							
2	x 40	2.54	●							
2	x 45	2.86	●							
2	x 50	3.17	●							
3	x 10	0.952	●							
3	x 12	1.14	●							
3	x 13	1.24	●							
3	x 15	1.43	●							
3	x 16	1.52	●							
3	x 19	1.81	●							
3	x 20	1.90	●							
3	x 22	2.09	●							
3	x 25	2.38	●							
3	x 30	2.86	●							
3	x 32	3.04	●							
3	x 35	3.33	●							
3	x 38	3.62	●							
3	x 40	3.81	●							
3	x 45	4.28	●							
3	x 50	4.76	●							
3	x 60	5.72	●							
3	x 65	6.20	●							
3	x 75	7.12	●							
3	x 100	9.52	●							
4	x 11	1.40	●							
4	x 13	1.65	●							
4	x 15	1.90	●	●						
4	x 16	2.03	●	●						
4	x 19	2.41	●	●						
4	x 20	2.54	●	●						
4	x 22	2.79	●	●						
4	x 25	3.17	●	●						
4	x 30	3.81	●	●						
4	x 32	4.08	●	●						

サイズ		4,000			5,000			6,000		
厚	x 幅	Kg/P	熱間	スリット	Kg/P	熱間	スリット	Kg/P	熱間	スリット
4	x 35	4.44	●	●						
4	x 38	4.84	●	●						
4	x 40	5.08	●	●						
4	x 45	5.72	●	●						
4	x 50	6.36	●	●						
4	x 60	7.60	●	●						
4	x 65	8.24	●	●						
4	x 75	9.52	●	●						
4	x 100	12.7	●	●						
5	x 15	2.38	●	●						
5	x 19	3.01	●	●						
5	x 20	3.17	●	●						
5	x 22	3.49	●	●						
5	x 25	3.96	●	●						
5	x 30	4.76	●	●						
5	x 32	5.08	●	●						
5	x 35	5.56	●	●						
5	x 38	6.04	●	●						
5	x 40	6.36	●	●						
5	x 45	7.12	●	●						
5	x 50	7.92	●	●						
5	x 60	9.52	●	●						
5	x 65	10.3	●	●						
5	x 75	11.9	●	●						
5	x 90	14.3	●	●						
5	x 100	15.8	●	●						
6	x 15	2.86	●	●						
6	x 19	3.62	●	●						
6	x 20	3.81	●	●						
6	x 22	4.20	●	●						
6	x 25	4.76	●	●	5.95	●		7.14	●	
6	x 30	5.72	●	●	7.15	●		8.58	●	
6	x 32	6.08	●	●	7.60	●		9.12	●	
6	x 35	6.68	●	●						
6	x 38	7.24	●	●	9.05	●		10.9	●	●
6	x 40	7.60	●	●	9.50	●		11.4	●	
6	x 45	8.56	●	●						
6	x 48	9.12	●	●						
6	x 50	9.52	●	●	11.9	●		14.3	●	●
6	x 60	11.4	●	●						
6	x 65	12.4	●	●	15.4	●		18.5	●	●

●印は即納品です。

ステンレスホットフラットバー

SUS304

(単位:mm)

サイズ		4,000			5,000			6,000		
厚	x 幅	Kg/P	熱間	スリット	Kg/P	熱間	スリット	Kg/P	熱間	スリット
6	x 70	13.3	●	●						
6	x 75	14.3	●	●	17.8	●		21.4	●	●
6	x 90	17.1	●	●						
6	x 100	19.0	●	●	23.8	●		28.6	●	●
6	x 110	20.9	●							
6	x 120	22.8	●							
6	x 125	23.8	●							
6	x 130	24.8	●							
6	x 140	26.6	●							
6	x 150	28.6	●							
7	x 20	4.44	●							
8	x 16	4.08	●							
8	x 25	6.36	●							
8	x 30	7.60	●							
8	x 32	8.12	●							
8	x 35	8.88	●							
8	x 38	9.64	●							
8	x 40	10.2	●							
8	x 45	11.4	●							
8	x 50	12.7	●							
8	x 65	16.5	●							
8	x 75	19.0	●							
8	x 100	25.4	●							
9	x 13	3.71	●							
9	x 15	4.28	●							
9	x 16	4.56	●							
9	x 19	5.44	●							
9	x 20	5.72	●	●						
9	x 22	6.28	●	●						
9	x 25	7.12	●	●						
9	x 30	8.56	●	●						
9	x 32	9.12	●	●	11.4	●		13.7	●	
9	x 35	10.0	●	●						
9	x 38	10.8	●	●	13.6	●		16.3	●	
9	x 40	11.4	●	●	14.2	●		17.1	●	
9	x 45	12.8	●	●						
9	x 50	14.3	●	●	17.8	●		21.4	●	●
9	x 55	15.7	●							
9	x 60	17.1	●	●						
9	x 65	18.6	●	●	23.2	●		27.8	●	●
9	x 75	21.4	●	●	26.8	●		32.1	●	●

サイズ		4,000			5,000			6,000		
厚	x 幅	Kg/P	熱間	スリット	Kg/P	熱間	スリット	Kg/P	熱間	スリット
9	x 90	25.7	●	●	32.1	●		38.5	●	
9	x 100	28.6	●	●	35.7	●		42.8	●	●
9	x 125	35.7	●		44.6	●		53.5	●	
9	x 150	42.8	●		53.5	●		64.2	●	
9	x 200	57.2	●							
9	x 250	71.2	●							
9	x 300	85.6	●							
10	x 15	4.76	●							
10	x 19	6.04	●							
10	x 20	6.36	●							
10	x 25	7.92	●							
10	x 30	9.52	●							
10	x 32	10.2	●							
10	x 35	11.1	●							
10	x 38	12.0	●							
10	x 40	12.7	●							
10	x 45	14.3	●							
10	x 50	15.8	●		19.8	●		23.8	●	
10	x 60	19.0	●							
10	x 65	20.6	●					30.9	●	
10	x 75	23.8	●							
10	x 100	31.7	●		39.6	●		47.6	●	
10	x 125	39.6	●							
10	x 150	47.6	●							
10	x 200	63.6	●							
10	x 250	79.2	●							
10	x 300	95.2	●							
12	x 15	5.72	●							
12	x 19	7.24	●							
12	x 20	7.60	●							
12	x 25	9.52	●							
12	x 30	11.4	●							
12	x 32	12.2	●							
12	x 35	13.3	●							
12	x 38	14.5	●		18.1	●		21.7	●	
12	x 40	15.2	●							
12	x 45	17.1	●							
12	x 50	19.0	●		23.8	●		28.6	●	
12	x 65	24.8	●		31.0	●		37.1	●	
12	x 70	26.6	●							
12	x 75	28.6	●		35.7	●		42.8	●	

●印は即納品です。

ステンレスホットフラットバー

SUS304

(単位:mm)

サイズ		4,000			5,000			6,000		
厚	x 幅	Kg/P	熱間	スリット	Kg/P	熱間	スリット	Kg/P	熱間	スリット
12	x 90	34.2	●							
12	x 100	38.1	●		47.6	●		57.1	●	
12	x 125	47.6	●		59.5	●		71.4	●	
12	x 150	57.2	●		71.5	●		85.8	●	
12	x 200	76.0	●							
12	x 250	95.2	●							
12	x 300	114.0	●							
16	x 20	10.2	●							
16	x 25	12.7	●							
16	x 30	15.2	●							
16	x 32	16.2	●							
16	x 35	17.8	●							
16	x 38	19.3	●							
16	x 40	20.3	●							
16	x 45	22.8	●							
16	x 50	25.4	●		31.7	●		38.0	●	
16	x 65	33.0	●		41.2	●		49.5	●	
16	x 75	38.1	●		47.6	●		57.1	●	
16	x 90	45.6	●							
16	x 100	50.8	●		63.5	●		76.2	●	
16	x 125	63.6	●		79.5	●		95.4	●	
16	x 150	76.0	●		95.0	●		114.	●	
16	x 200	102.0	●							
16	x 250	127.0	●							
16	x 300	152.0	●							
19	x 25	15.1	●							
19	x 30	18.1	●							
19	x 32	19.3	●							
19	x 35	21.1	●							
19	x 38	22.9	●							
19	x 40	24.1	●							
19	x 45	27.1	●							
19	x 50	30.1	●		37.6	●		45.2	●	
19	x 55	33.1	●							
19	x 65	39.2	●		48.9	●		58.7	●	
19	x 75	45.2	●							
19	x 90	54.4	●							
19	x 100	60.4	●		75.5	●		90.6	●	
19	x 125	75.2	●							
19	x 150	90.4	●							
19	x 200	120.0	●							

サイズ		4,000			5,000			6,000		
厚	x 幅	Kg/P	熱間	スリット	Kg/P	熱間	スリット	Kg/P	熱間	スリット
19	x 250	151.0	●							
19	x 300	181.0	●							
20	x 70	44.4	●							
22	x 25	17.4	●							
22	x 30	20.9	●							
22	x 32	22.3	●							
22	x 35	24.4	●							
22	x 38	26.5	●							
22	x 40	27.9	●							
22	x 45	31.4	●							
22	x 50	34.9	●							
22	x 65	45.2	●							
22	x 75	52.4	●							
22	x 90	62.8	●							
22	x 100	69.6	●							
22	x 125	87.2	●							
22	x 150	105.0	●							
22	x 200	140.0	●							
22	x 250	174.0	●							
22	x 300	209.0	●							
25	x 32	25.4	●							
25	x 38	30.1	●							
25	x 40	31.7	●							
25	x 45	35.7	●							
25	x 50	39.6	●							
25	x 60	47.6	●							
25	x 65	51.6	●							
25	x 75	59.6	●							
25	x 10	79.2	●							
25	x 125	99.2	●							
25	x 150	119.0	●							
25	x 200	158.0	●							
25	x 250	198.0	●							
25	x 300	238.0	●							
30	x 50	47.6	●							
30	x 55	52.4	●							
30	x 65	62.0	●							
30	x 75	71.2	●							
30	x 100	95.2	●							
30	x 125	119.0	●							
30	x 150	143.0	●							

●印は即納品です。

ステンレスホットフラットバー

SUS304

(単位:mm)

サイズ		4,000			5,000			6,000		
厚	x 幅	Kg/P	熱間	スリット	Kg/P	熱間	スリット	Kg/P	熱間	スリット
30	x 200	190.0	●							
30	x 250	238.0	●							
30	x 300	286.0	●							
35	x 50	55.6	●							
35	x 65	72.0	●							
35	x 75	83.2	●							
35	x 100	111.0	●							
35	x 125	139.0	●							
35	x 150	166.0	●							
40	x 50	63.6	●							
40	x 65	82.4	●							
40	x 75	95.2	●							
40	x 100	127.0	●							
40	x 125	158.0	●							
40	x 150	190.0	●							
50	x 65	103.0	●							
50	x 75	119.0	●							
50	x 100	158.0	●							

サイズ		4,000			5,000			6,000		
厚	x 幅	Kg/P	熱間	スリット	Kg/P	熱間	スリット	Kg/P	熱間	スリット
50	x 125	198.0	●							
50	x 150	238.0	●							
60	x 75	143.0	●							
60	x 100	190.0	●							
60	x 125	238.0	●							
60	x 150	286.0	●							
65	x 75	155.0	●							
70	x 100	222.0	●							
70	x 125	278.0	●							
70	x 150	333.0	●							
80	x 100	254.0	●							
80	x 125	317.0	●							
80	x 150	381.0	●							
90	x 125	357.0	●							
90	x 150	428.0	●							
100	x 125	396.0	●							
100	x 150	476.0	●							

●印は即納品です。

ステンレスホットフラットバー

SUS316, 316L, 303

(単位:mm)

サイズ 厚 × 幅	4,000 Kg/P		
	316	316L	303
3 x 20	1.92	1.92	
3 x 25	2.39	2.39	
3 x 30	2.87	2.87	
3 x 32	3.06	3.06	
3 x 38	3.64	3.64	
3 x 40	3.83	3.83	
3 x 50	4.80	4.80	
4 x 25	3.19	3.19	
4 x 30	3.83	3.83	
4 x 40	5.12	5.12	
4 x 50	6.40	6.40	
5 x 20	3.19	3.19	
5 x 25	3.99	3.99	
5 x 30	4.80	4.80	
5 x 32	5.12	5.12	
5 x 38	6.08	6.08	
5 x 40	6.40	6.40	
5 x 50	8.00	8.00	
6 x 25	4.80	4.80	4.76
6 x 30	5.76	5.76	5.72
6 x 32	6.12	6.12	
6 x 38	7.28	7.28	
6 x 40	7.68	7.68	7.60
6 x 50	9.56	9.56	9.52
6 x 65	12.4	12.4	12.4
6 x 75	14.4	14.4	14.3
6 x 100	19.2	19.2	19.0
9 x 25	7.20	7.20	7.12
9 x 30	8.60	8.60	8.56
9 x 32	9.20	9.20	
9 x 38	10.9	10.9	
9 x 40			11.4
9 x 50	14.4	14.4	14.3
9 x 65	18.7	18.7	18.6
9 x 75	21.6	21.6	21.4
9 x 90	25.8	25.8	
9 x 100	28.7	28.7	28.6
10 x 50	16.0	16.0	
10 x 100	31.9	31.9	
12 x 25	9.56	9.56	9.52
12 x 30		11.5	11.4

サイズ 厚 × 幅	4,000 Kg/P		
	316	316L	303
12 x 32	12.2	12.2	
12 x 38	14.6	14.6	
12 x 40			15.2
12 x 50	19.2	19.2	19.0
12 x 65	24.9	24.9	24.8
12 x 75	28.7	28.7	28.6
12 x 100	38.3	38.3	38.1
12 x 150			57.2
12 x 200			76.0
16 x 25	12.8	12.8	12.7
16 x 30			15.2
16 x 32	16.4	16.4	
16 x 38	19.4	19.4	
16 x 40			20.3
16 x 50	25.5	25.5	25.4
16 x 65	33.2	33.2	33.0
16 x 75	38.3	38.3	38.1
16 x 100	51.2	51.2	50.8
16 x 150			76.0
16 x 200			102.0
19 x 25			15.1
19 x 30			18.1
19 x 40			24.1
19 x 50	30.3	30.3	30.1
19 x 65	39.4	39.4	39.2
19 x 75	45.6	45.6	45.2
19 x 100	60.8	60.8	60.4
19 x 150			90.4
19 x 200			120.0
22 x 25			17.4
22 x 30			20.9
22 x 40			27.9
22 x 50			34.9
22 x 65			45.2
22 x 75			52.4
22 x 100			69.6
22 x 150			105.0
22 x 200			140.0
25 x 50			39.6
25 x 65			51.6
25 x 75			59.6

ステンレスホットフラットバー

SUS316, 316L, 303

(単位:mm)

サイズ	4,000		
厚 x 幅	Kg/P		
	316	316L	303
25 x 100			79.2
25 x 150			119.0
25 x 200			158.0
30 x 50			47.6
30 x 75			71.2
30 x 100			95.2
30 x 150			143.0
30 x 200			190.0

サイズ	4,000		
厚 x 幅	Kg/P		
	316	316L	303
35 x 50			55.6
35 x 75			83.2
35 x 100			111.0
40 x 50			63.6
40 x 75			95.2
40 x 100			127.0
50 x 75			119.0
50 x 100			158.0

ステンレスホット角棒

SUS304, 316, 316L, 303

(単位:mm)

サイズ		4,000			サイズ		4,000				
厚 x 幅		Kg/P			厚 x 幅		Kg/P				
		304	316 316L	303			304	316 316L	303		
10	x	10	3.17			36	x	36	41.2	41.4	41.2
12	x	12	4.56			38	x	38	46.0	46.0	
13	x	13	5.36			40	x	40	50.8	51.2	50.8
14	x	14	6.20			42	x	42	56.0	56.4	
15	x	15	7.12			45	x	45	64.4	64.8	64.4
16	x	16	8.12		8.12	50	x	50	79.2	80.0	79.2
19	x	19	11.4	11.5	11.4	55	x	55	96.0		
20	x	20	12.7	12.8		60	x	60	114.0		114.0
22	x	22	15.4	15.4	15.4	65	x	65	134.0		134.0
25	x	25	19.8	20.0	19.8	70	x	70	156.0		
28	x	28	24.9			75	x	75	178.0		178.0
30	x	30	28.6	28.7	28.6	90	x	90	257.0		257.0
32	x	32	32.5	32.7	32.5	100	x	100	317.0		317.0
35	x	35			38.9						

HOT 寸法許容差

(単位:mm)

厚さ (t)			幅 (W)					
			≤50	50<W≤75	75<W≤100	100<W≤125	125<W≤150	150<W≤350
~	20	幅	±0.8	±1.0	±1.2	±2.0	±2.5	±2.5
		厚	±0.4	±0.5	±0.5	±0.5	±0.5	±0.6
21 ~	36	幅	±0.8	±1.0	±1.2	±2.0	±2.5	±2.5
		厚	±0.5	±0.5	±0.5	±0.6	±0.6	±0.6
37 ~	40	幅		±1.0	±1.2	±2.0	±2.5	±2.5
		厚		±0.5	±0.7	±0.7	±0.7	±0.7
41 ~	50	幅		±1.2	±1.2	±2.0	±2.5	±2.5
		厚		±0.8	±1.0	±1.0	±1.0	±1.0
51 ~	150	幅		±1.2	±1.2	±2.0	±2.5	±2.5
		厚		±0.8	±1.0	±1.0	±1.0	±1.0